

*Echeveria adrianae* Reyes, Anguiano and Islas sp. nov.

**Holotype:** Colombia. García Rovira [Dept. Santander]: Loc. near "El Término" (Alto de La Guaca), road between Bucaramanga and Málaga, 2920 m, 4.VIII. 2024. J. Reyes, A. Islas, O. Anguiano, D. Giraldó-Cañas, A. Bohórquez Joya, H. Largo, JE-9536 COL:[COL-635101].

*Echeveria adrianae*; *E. cuencaensi* von Poellnitz similis sed caulibus evidentibus (vs. acaulescentibus), pedicellis longioribus, sepalis fere aequalibus (vs. valde inaequalibus), corolla flava (vs. eburnea, versus apicem rubra), carpellis flavo-albidis (vs. rubris), lobulis stigmatis purpureis (vs. albis) differt (9).

Table 2: Comparative table of *E. adrianae* and *E. cuencaensis*

		<i>Echeveria adrianae</i>	<i>Echeveria cuencaensis</i>
<b>Stem</b>	Length (cm)	13, erected to curved	Acaulescent
	Diameter (cm)	1	N/A
<b>Rosette</b>	Diameter (cm)	8–16	9.5–18
<b>Leaves</b>	Form	spatulate to obovate, amplexicaul	Sessile, oblong-obovate
	Length (cm)	4–8	4–8
	Width (cm)	1.5–2	1.8–3
<b>Flowering stem</b>	Number per rosette	1	1–3
	Length (cm)	26–32	25–35
<b>Inflorescence</b>	Type	Racemose, with 12 to 18 flowers	Racemose, 25-35 flowers
<b>Pedicels</b>	Length (mm)	10–13	3–5
<b>Sepals</b>	Form	Nearly equal, triangular, appressed	Unequal, triangular, extended
	Length (mm)	6–8	4–5
	Width (mm)	3–4	3–4
<b>Corolla</b>	Form	Cylindrical, pentagonal	Ovoid, pentagonal
	Colour	Pale yellow outside and inside	Cream coloured at the base, then yellow and reddish at the tips and margins
	Length (mm)	12–14	12–14
	Diameter (mm near base)	7	7
<b>Petals</b>		Lanceolate, dorsally keeled, pale-yellow, inside and outside	Oblong, acuminate
<b>Gynoecium</b>	Length (mm)	8	4
	Diameter (mm)	5	3-5
	Carpels	Yellowish-white	Reddish
	Style	Light green	Greenish
	Stigma	Red-purple	White
<b>Nectaries</b>	Form	Reniform	Reniform
	Colour	Yellowish	Green-yellow
<b>Biogeographic province</b>		Eastern Cordillera	Western Cordillera
<b>Habitat type</b>		Cloud forest	Subtropical highland